



FIRE LION


G L O B A L

**FP FOAM TRANSFER
PUMP SYSTEM**

SIMPLY UN-SURPASSED IN PERFORMANCE & FLEXIBILITY



FIRE LION
GLOBAL



EXCLUSIVE FEATURES



SOLID BRONZE PUMP WITH DUPLEX STAINLESS STEEL SHAFTS AND (1) TEFLON LIP SEAL



FLOW RATE OF 65 GPM AT 100 PSIG - MORE AT LOWER PRESSURE



RELIABLE 13 HP HONDA GAS ENGINE WITH MANUAL OR ELECTRIC STARTING



LOW PROFILE FRAME WITH GRAB HANDLES ON ALL SIDES AND ENDS



MOUNTED PRESSURE RELIEF VALVE-RETURNING TO PUMP SUCTION SO NO FOAM IS SPILLED OR WASTED



OPEN MESH COUPLING GUARD FOR OPERATOR SAFETY AND VIEW



5 YEAR PUMP WARRANTY



WEIGHT = 220 lbs



TRAILER, TRUCK OR PORTABLE MOUNT OPTIONS



INLINE CLUTCH = FLEXIBLE OPERATIONS



POWER OPTIONS OF GASOLINE OR DIESEL ENGINE, 12 VOLT ELECTRIC AND 110 OR 220 VOLT (1 PHASE)




100% USA MADE



DIMENSIONS: LENGTH 46" | WIDTH 26" | HEIGHT 30" DEPENDING ON VARIATIONS

WWW.FIRELIONGLOBAL.COM

PRODUCT GALLERY



OUR CAPABILITIES

FOAM CONCENTRATE SUPPORT FOR LARGE SCALE SPILLS AND OPERATIONS – KEY LOGICSTICAL SUPPORT FOR ALL FIRE DEPARTEMENTS, REFINERIES, TANK FARM'S, MARINE FIRE SUPPRESION AND DEFENSE DEPARTMENT FIRE PROTECTION OPERATIONS.

CONTACT US

14707 NE 13th Court, Suite B100

Vancouver WA. 98685

P : (360) 574-9068

E : info@firelionglobal.com

W : www.firelionglobal.com